

Consistent temperatures all winter long keep your home comfortably warm and

# BLISSFULLY OUIFT

DAVE LENNOX Signatur Collection

SL280V

VARIABLE-SPEED, TWO-STAGE GAS FURNACE

LENNOX

### PRACTICALLY SILENT

With a heavily insulated cabinet and variable-speed motor, the SilentComfort<sup>™</sup> technology in the SL280V makes it quieter than any other furnace in its class.\*



## EVEN TEMPERATURES

A variable-speed blower motor and twostage gas valve allow the furnace to adjust its speed and airflow to maintain your ideal temperature, throughout your home, quietly and efficiently.



COMFORT

### VARIABLE-SPEED AIRFLOW

By precisely adjusting the flow of heated air, the SL280V can prevent temperature swings and help control humidity levels for a more comfortable environment.

#### **TWO-STAGE HEATING**

The SL280V operates at a more efficient low capacity most of the time to maintain your set temperature, with extra capacity for periods of extreme cold.

#### LOW FAN SPEED

By circulating air slowly and steadily in "FAN ON" mode, the SL280V can control humidity levels and create continuous filtration for cleaner, healthier air.

#### ICOMFORT<sup>®</sup>-ENABLED

The SL280V works with the iComfort<sup>®</sup> S30 ultra smart thermostat to keep your home's temperature close to your ideal setting.

### CONSISTENTLY EFFICIENT

With a heating efficiency rating of 80% AFUE\*\*, the SL280V will generate comfortable warmth all winter, while helping you save energy every day.



is converted into usable heat

## EFFICIENCY


#### FINE-TUNED FUEL USE

Since the SL280V can operate at two different levels of heat output, it can maintain a consistent temperature in your home using as little fuel as possible. So you spend less on utility costs.

#### SMART CONTROL

When combined with the iComfort S30 ultra smart thermostat, the SL280V can adjust heating for energy savings based on your family's routine.

### DURABLE CONSTRUCTION



The SL280V is made with a heavy steel cabinet and a Duralok<sup>™</sup> heat exchanger for long, trouble-free life.



### PEACE-OF-MIND PROTECTION

The SL280V comes with a 20-year limited warranty on the heat exchanger and a 10-year limited warranty on all remaining covered components.\*\*\*

\*Based on sound pressure levels during steady-state, high-fire operation of Lennox SL280UHV070V36A and leading competitive units at mid-point temperature rise and minimum external static pressure when set up per Section 4.5.3 of AHRI 260-2001.

\*\*Furnaces are rated by the Annual Fuel Utilization Efficiency ratio, or AFUE, which is the percent of heat produced for every dollar of fuel consumed. \*\*\*Applies to residential applications only. See actual warranty certificate for details.

Note: Due to Lennox' ongoing commitment to quality, specifications and ratings are subject to change without notice.

#### California Only

If installed in South Coast Air Quality Management District (SCAQMD) only: This furnace does not meet the SCAQMD Rule 1111 NOx emission limit (14 ng/J), and thus is subject to a mitigation fee of up to \$450. This furnace is not eligible for the Clean Air Furnace Rebate Program:www.CleanAirFurnaceRebate.com. If installed in San Joaquin Valley Air Pollution Control District (SJVAPCD) only: This furnace does not meet the SJVAPCD Rule 4905 NOx emission limit (14 ng/J), and thus is subject to a mitigation fee of up to \$450.

Innovation never felt so good.<sup>®</sup>

Heating that's extremely efficient and practically silent



#### THE ULTIMATE COMFORT SYSTEM™

The SL280V is part of the Dave Lennox Signature<sup>®</sup> Collection, the most advanced line of equipment Lennox makes. Every furnace, air handler, heat pump and air conditioner in the Signature collection is built from premium materials, and designed to bring the highest level of innovation to home comfort.

**FINANCING YOUR COMFORT** Enjoy more comfort and purchasing power. Take advantage of flexible financing options that allow you to enjoy the innovation, precision and efficiency of Lennox on your terms.\*

\*Subject to credit approval. Minimum monthly payments required. See your Lennox Dealer for details.

Contraction of the local distance	Model	SL280UH070V36A SL280UH070XV36A	SL280UH090V36B SL280UH090V48B SL280UH090XV48B	SL280UH090V60C SL280UH090XV60C SL280UH110V60C SL280UH110XV60C	SL280UH135V60D	SL280DF070V36A	SL280DF090V48B	SL280DF090V60C SL280DF110V60C
South Street	Heating Efficiency (AFUE)	80.0%	80.0%	80.0%	80.0%	80.0%	80.0%	80.0%
N. N.C.	Dimensions HxWxD (in)	33 x 14-½ x 29-¼	33 x 17-½ x 29-¼	33 x 21 x 29-1⁄4	33 x 24-½ x 29-¼	33 x 14-½ x 29-¼	33 x 17-½ x 29-¼	33 x 21 x 29-1⁄4
ALC: N	HxWxD (mm)	838 x 368 x 743	828 x 446 x 743	828 x 533 x 743	828 x 622 x 743	828 x 368 x 743	828 x 445 x 743	828 x 533 x 743







#### www.lennox.com 1-800-9-LENNOX

For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.